

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:sssptal653sxs

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

- 302
- ① No organic Fluor compd used for Ser-phosphatase assays
 - ② No Ser-linked Fluor. peptides
 - ③ Fluor nonpeptides for alkyl phosphatase; tyrosine phosphatase assays.

* * * * * Welcome to STN International * * * * *

NEWS 1		Web Page URLs for STN Seminar Schedule - N. America
NEWS 2	Apr 08	"Ask CAS" for self-help around the clock
NEWS 3	Apr 09	BEILSTEIN: Reload and Implementation of a New Subject Area
NEWS 4	Apr 09	ZDB will be removed from STN
NEWS 5	Apr 19	US Patent Applications available in IFICDB, IFIPAT, and IFIUDB
NEWS 6	Apr 22	Records from IP.com available in CAPLUS, HCAPLUS, and ZCAPLUS
NEWS 7	Apr 22	BIOSIS Gene Names now available in TOXCENTER
NEWS 8	Apr 22	Federal Research in Progress (FEDRIP) now available
NEWS 9	Jun 03	New e-mail delivery for search results now available
NEWS 10	Jun 10	MEDLINE Reload
NEWS 11	Jun 10	PCTFULL has been reloaded
NEWS 12	Jul 02	FOREGE no longer contains STANDARDS file segment
NEWS 13	Jul 22	USAN to be reloaded July 28, 2002; saved answer sets no longer valid
NEWS 14	Jul 29	Enhanced polymer searching in REGISTRY
NEWS 15	Jul 30	NETFIRST to be removed from STN
NEWS 16	Aug 08	CANCERLIT reload
NEWS 17	Aug 08	PHARMAMarketLetter(PHARMAML) - new on STN
NEWS 18	Aug 08	NTIS has been reloaded and enhanced
NEWS 19	Aug 19	Aquatic Toxicity Information Retrieval (AQUIRE) now available on STN
NEWS 20	Aug 19	IFIPAT, IFICDB, and IFIUDB have been reloaded
NEWS 21	Aug 19	The MEDLINE file segment of TOXCENTER has been reloaded
NEWS 22	Aug 26	Sequence searching in REGISTRY enhanced
NEWS 23	Sep 03	JAPIO has been reloaded and enhanced
NEWS 24	Sep 16	Experimental properties added to the REGISTRY file
NEWS 25	Sep 16	Indexing added to some pre-1967 records in CA/CAPLUS
NEWS 26	Sep 16	CA Section Thesaurus available in CAPLUS and CA
NEWS 27	Oct 01	CASREACT Enriched with Reactions from 1907 to 1985
NEWS 28	Oct 21	EVENTLINE has been reloaded
NEWS 29	Oct 24	BEILSTEIN adds new search fields
NEWS 30	Oct 24	Nutraceuticals International (NUTRACEUT) now available on STN
NEWS 31	Oct 25	MEDLINE SDI run of October 8, 2002
NEWS EXPRESS	October 14	CURRENT WINDOWS VERSION IS V6.01, CURRENT MACINTOSH VERSION IS V6.0a(ENG) AND V6.0Ja(JP), AND CURRENT DISCOVER FILE IS DATED 01 OCTOBER 2002
NEWS HOURS		STN Operating Hours Plus Help Desk Availability
NEWS INTER		General Internet Information
NEWS LOGIN		Welcome Banner and News Items
NEWS PHONE		Direct Dial and Telecommunication Network Access to STN
NEWS WWW		CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation

of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 16:42:52 ON 07 NOV 2002

=> File bioscience meetings pharmacology research toxicology reaction

FILE 'DRUGMONOG' ACCESS NOT AUTHORIZED

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'ADISALERTS' ENTERED AT 16:43:22 ON 07 NOV 2002

COPYRIGHT (C) 2002 Adis International Ltd. (ADIS)

FILE 'ADISINSIGHT' ENTERED AT 16:43:22 ON 07 NOV 2002

COPYRIGHT (C) 2002 Adis International Ltd. (ADIS)

FILE 'ADISNEWS' ENTERED AT 16:43:22 ON 07 NOV 2002

COPYRIGHT (C) 2002 Adis International Ltd. (ADIS)

FILE 'AGRICOLA' ENTERED AT 16:43:22 ON 07 NOV 2002

FILE 'ANABSTR' ENTERED AT 16:43:22 ON 07 NOV 2002

COPYRIGHT (c) 2002 THE ROYAL SOCIETY OF CHEMISTRY (RSC)

FILE 'AQUASCI' ENTERED AT 16:43:22 ON 07 NOV 2002

(c) 2002 FAO (on behalf of the ASFA Advisory Board) All rights reserved.

FILE 'BIOBUSINESS' ENTERED AT 16:43:22 ON 07 NOV 2002

COPYRIGHT (C) 2002 Biological Abstracts, Inc. (BIOSIS)

FILE 'BIOCOMMERCE' ENTERED AT 16:43:22 ON 07 NOV 2002

COPYRIGHT (C) 2002 BioCommerce Data Ltd. Richmond Surrey, United Kingdom. All rights reserved

FILE 'BIOSIS' ENTERED AT 16:43:22 ON 07 NOV 2002

COPYRIGHT (C) 2002 BIOLOGICAL ABSTRACTS INC. (R)

FILE 'BIOTECHABS' ENTERED AT 16:43:22 ON 07 NOV 2002

COPYRIGHT (C) 2002 THOMSON DERWENT AND INSTITUTE FOR SCIENTIFIC INFORMATION

FILE 'BIOTECHDS' ACCESS NOT AUTHORIZED

FILE 'BIOTECHNO' ENTERED AT 16:43:22 ON 07 NOV 2002

COPYRIGHT (C) 2002 Elsevier Science B.V., Amsterdam. All rights reserved.

FILE 'CABA' ENTERED AT 16:43:22 ON 07 NOV 2002

COPYRIGHT (C) 2002 CAB INTERNATIONAL (CABI)

FILE 'CANCERLIT' ENTERED AT 16:43:22 ON 07 NOV 2002

FILE 'CAPLUS' ENTERED AT 16:43:22 ON 07 NOV 2002

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2002 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'CEABA-VTB' ENTERED AT 16:43:22 ON 07 NOV 2002

COPYRIGHT (c) 2002 DECHEMA eV

FILE 'CEN' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 American Chemical Society (ACS)

FILE 'CIN' ENTERED AT 16:43:22 ON 07 NOV 2002
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2002 American Chemical Society (ACS)

FILE 'CONFSCI' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 Cambridge Scientific Abstracts (CSA)

FILE 'CROPB' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 THOMSON DERWENT

FILE 'CROPU' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 THOMSON DERWENT

FILE 'DDFB' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 THOMSON DERWENT

FILE 'DDFU' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 THOMSON DERWENT

FILE 'DGENE' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 THOMSON DERWENT

FILE 'DRUGB' ACCESS NOT AUTHORIZED

FILE 'DRUGLAUNCH' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 IMSWORLD Publications Ltd

FILE 'DRUGMONOG2' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 IMSWORLD Publications Ltd

FILE 'DRUGNL' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 IMSWORLD Publications Ltd

FILE 'DRUGU' ACCESS NOT AUTHORIZED

FILE 'DRUGUPDATES' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 IMSWORLD Publications Ltd

FILE 'EMBAL' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 Elsevier Science B.V. All rights reserved.

FILE 'EMBASE' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 Elsevier Science B.V. All rights reserved.

FILE 'ESBIOBASE' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 Elsevier Science B.V., Amsterdam. All rights reserved.

FILE 'FEDRIP' ENTERED AT 16:43:22 ON 07 NOV 2002

FILE 'FOMAD' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 Leatherhead Food Research Association

FILE 'FOREGE' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 Leatherhead Food Research Association

FILE 'FROSTI' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 Leatherhead Food Research Association

FILE 'FSTA' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 International Food Information Service

FILE 'GENBANK' ENTERED AT 16:43:22 ON 07 NOV 2002

FILE 'HEALSAFE' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 Cambridge Scientific Abstracts (CSA)

FILE 'IFIPAT' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 IFI CLAIMS(R) Patent Services (IFI)

FILE 'JICST-EPLUS' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 Japan Science and Technology Corporation (JST)

FILE 'KOSMET' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 International Federation of the Societies of Cosmetics Chemists

FILE 'LIFESCI' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 Cambridge Scientific Abstracts (CSA)

FILE 'MEDICONF' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (c) 2002 FAIRBASE Datenbank GmbH, Hannover, Germany

FILE 'MEDLINE' ENTERED AT 16:43:22 ON 07 NOV 2002

FILE 'NIOSHTIC' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 U.S. Secretary of Commerce on Behalf of the U.S. Government

FILE 'NTIS' ENTERED AT 16:43:22 ON 07 NOV 2002
Compiled and distributed by the NTIS, U.S. Department of Commerce.
It contains copyrighted material.
All rights reserved. (2002)

FILE 'OCEAN' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 Cambridge Scientific Abstracts (CSA)

FILE 'PASCAL' ENTERED AT 16:43:22 ON 07 NOV 2002
Any reproduction or dissemination in part or in full,
by means of any process and on any support whatsoever
is prohibited without the prior written agreement of INIST-CNRS.
COPYRIGHT (C) 2002 INIST-CNRS. All rights reserved.

FILE 'PHAR' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 PJB Publications Ltd. (PJB)

FILE 'PHARMAML' ENTERED AT 16:43:22 ON 07 NOV 2002
Copyright 2002 (c) MARKETLETTER Publications Ltd. All rights reserved.

FILE 'PHIC' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 PJB Publications Ltd. (PJB)

FILE 'PHIN' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 PJB Publications Ltd. (PJB)

FILE 'PROMT' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 Gale Group. All rights reserved.

FILE 'SCISEARCH' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 Institute for Scientific Information (ISI) (R)

FILE 'SYNTHLINE' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 Prous Science

FILE 'TOXCENTER' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 ACS

FILE 'USPATFULL' ENTERED AT 16:43:22 ON 07 NOV 2002
CA INDEXING COPYRIGHT (C) 2002 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'USPAT2' ENTERED AT 16:43:22 ON 07 NOV 2002
CA INDEXING COPYRIGHT (C) 2002 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'VETB' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 THOMSON DERWENT

FILE 'VETU' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 THOMSON DERWENT

FILE 'WPIDS' ACCESS NOT AUTHORIZED

FILE 'WPINDEX' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 THOMSON DERWENT

FILE 'IMOBILITY' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 Society of Automotive Engineers, Inc.

FILE 'COMPENDEX' ENTERED AT 16:43:22 ON 07 NOV 2002
Compendex Compilation and Indexing (C) 2002
Elsevier Engineering Information Inc (EEI). All rights reserved.
Compendex (R) is a registered Trademark of Elsevier Engineering Information Inc.

FILE 'COMPUAB' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 Cambridge Scientific Abstracts (CSA)

FILE 'CONF' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (c) 2002 FIZ Karlsruhe

FILE 'ELCOM' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 Cambridge Scientific Abstracts (CSA)

FILE 'EVENTLINE' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 EXCERPTA MEDICA MEDICAL COMMUNICATIONS B.V. (EMMC)

FILE 'IMSDRUGCONF' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 IMSWORLD Publications Ltd.

FILE 'ISMEC' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 Cambridge Scientific Abstracts (CSA)

FILE 'PAPERCHEM2' ENTERED AT 16:43:22 ON 07 NOV 2002
Paperchem2 compilation and indexing (C) 2002
Elsevier Engineering Information Inc. All rights reserved.

FILE 'POLLUAB' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 Cambridge Scientific Abstracts (CSA)

FILE 'SOLIDSTATE' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 Cambridge Scientific Abstracts (CSA)

FILE 'BABS' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (c) 2002 Beilstein-Institut zur Foerderung der Chemischen Wissenschaften
licensed to Beilstein Chemiedaten & Software GmbH and MDL Information Systems GmbH

FILE 'CBNB' ENTERED AT 16:43:22 ON 07 NOV 2002

COPYRIGHT (c) 2002 ELSEVIER ENGINEERING INFORMATION, INC.

FILE 'DIOGENES' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 FOI Services, Inc. (FOI)

FILE 'INVESTEXT' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 Thomson Financial Services, Inc. (TFS)

FILE 'IPA' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 American Society of Hospital Pharmacists (ASHP)

FILE 'NAPRALERT' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 Board of Trustees of the University of Illinois,
University of Illinois at Chicago.

FILE 'USAN' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 U.S. Pharmacopeial Convention, Inc. (USPC)

FILE 'DKF' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 Dokumentation Kraftfahrwesen e.V., Germany

FILE 'FORIS' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 Informationszentrum Sozialwissenschaften, Bonn (IZS)

FILE 'FORKAT' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 Bundesministerium fuer Bildung,
Wissenschaft, Forschung und Technologie (bmb+f)

FILE 'RUSSCI' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 Andrigal Ltd.

FILE 'SOLIS' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 Informationszentrum Sozialwissenschaften, Bonn (IZS)

FILE 'UFORDAT' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 Umweltbundesamt, D-14191 Berlin (UBA)

FILE 'AQUIRE' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 US Environmental Protection Agency (EPA)

FILE 'CHEMLIST' ENTERED AT 16:43:22 ON 07 NOV 2002
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2002 American Chemical Society (ACS)

FILE 'CSNB' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (c) 2002 THE ROYAL SOCIETY OF CHEMISTRY (RSC)

FILE 'ENERGY' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (c) 2002 USDOE for the IEA-Energy Technology Data Exchange (ETDE)

FILE 'HSDB' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 NATIONAL LIBRARY OF MEDICINE

FILE 'INIS' ACCESS NOT AUTHORIZED

FILE 'MSDS-CCOHS' ENTERED AT 16:43:22 ON 07 NOV 2002
Copyright Notice: Permission to copy is not required for this file

FILE 'MSDS-OHS' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 MDL INFORMATION SYSTEMS (MDL)

FILE 'NLDB' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 Gale Group. All rights reserved.

FILE 'RTECS' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 U.S. Secretary of Commerce on Behalf of the U.S. Government (DOC)

FILE 'ULIDAT' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 Umweltbundesamt, D-14191 Berlin (UBA)

FILE 'CASREACT' ENTERED AT 16:43:22 ON 07 NOV 2002
USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT
COPYRIGHT (C) 2002 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'CHEMINFORMRX' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) FIZ-CHEMIE BERLIN

FILE 'CHEMREACT' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) Springer-Verlag/InfoChem GmbH (IC)

FILE 'DJSMONLINE' ENTERED AT 16:43:22 ON 07 NOV 2002
COPYRIGHT (C) 2002 THOMSON DERWENT

=> S phosphatase (3a) (assay or analysis)

13 FILES SEARCHED...
29 FILES SEARCHED...
43 FILES SEARCHED...
57 FILES SEARCHED...
73 FILES SEARCHED...
93 FILES SEARCHED...

L1 12928 PHOSPHATASE (3A) (ASSAY OR ANALYSIS)

=> s substrate (3a) (fluorescein or fluorescence or fluorescent)

23 FILES SEARCHED...
47 FILES SEARCHED...
60 FILES SEARCHED...
82 FILES SEARCHED...

L2 15933 SUBSTRATE (3A) (FLUORESC EIN OR FLUORESCENCE OR FLUORESCENT)

=> s l1 (5a) l2

52 FILES SEARCHED...

L3 45 L1 (5A) L2

=> duplicate

ENTER REMOVE, IDENTIFY, ONLY, OR (?):remove

ENTER L# LIST OR (END):l3

DUPLICATE IS NOT AVAILABLE IN 'ADISINSIGHT, ADISNEWS, BIOCOMMERCE, DGENE, DRUGLAUNCH, DRUGMONOG2, DRUGUPDATES, FEDRIP, FOREGE, GENBANK, KOSMET, MEDICONF, PHAR, PHARMAML, SYNTHLINE, CONF, EVENTLINE, IMSDRUGCONF, DIOGENES, INVESTEXT, USAN, FORIS, FORKAT, UFOR DAT, AQUIRE, CHEMLIST, HSDB, MSDS-CCOHS, MSDS-OHS, RTECS, CHEMINFORMRX, CHEMREACT, DJSMONLINE'.

ANSWERS FROM THESE FILES WILL BE CONSIDERED UNIQUE

DUPLICATE PREFERENCE IS 'ANABSTR, BIOSIS, BIOTECHNO, CANCERLIT, CAPLUS, EMBASE, ES BIOBASE, LIFESCI, MEDLINE, NTIS, PASCAL, SCISEARCH, USPATFULL, USPAT2, BABS, CHEMINFORMRX'

KEEP DUPLICATES FROM MORE THAN ONE FILE? Y/(N):n

PROCESSING COMPLETED FOR L3

L4 17 DUPLICATE REMOVE L3 (28 DUPLICATES REMOVED)

=> d l4 1-17 bib ab

L4 ANSWER 1 OF 17 USPATFULL

DUPLICATE 1

AN 2002:148557 USPATFULL

TI KINASE ASSAYS USING POLYCATIONS

IN NIKIFOROV, THEO T., 37 S. 16@H AVENUE, SAN JOSE 95112

PI US 2002076697 A1 20020620

US 6472141 B2 20021029

AI US 2000-569193 A1 20000511 (9)
RLI Continuation-in-part of Ser. No. US 1999-316447, filed on 21 May 1999,
GRANTED, Pat. No. US 6287774
PRAI US 1999-139562P 19990616 (60)
US 1999-156366P 19990928 (60)
DT Utility
FS APPLICATION
LREP CALIPER TECHNOLOGIES CORP, 605 FAIRCHILD DRIVE, MOUNTAIN VIEW, CA, 94043
CLMN Number of Claims: 62
ECL Exemplary Claim: 1
DRWN 25 Drawing Page(s)
LN.CNT 2153

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB Methods, systems, kits for carrying out a wide variety of different assays that comprise providing a first reagent mixture which comprises a first reagent having a fluorescent label. A second reagent is introduced into the first reagent mixture to produce a second reagent mixture, where the second reagent reacts with the first reagent to produce a fluorescently labeled product having a substantially different charge than the first reagent. A polyion is introduced into at least one of the first and second reagent mixtures, and the fluorescent polarization in the second reagent mixture relative to the first reagent mixture is determined, this fluorescent polarization being indicative of the rate or extent of the reaction.

L4 ANSWER 2 OF 17 USPATFULL *after F.D*
AN 2002:227915 USPATFULL
TI Water-soluble, fluorescent, & electrophoretically mobile peptidic substrates for enzymatic reactions and methods for their use in high-throughput screening assays
IN Dwyer, Brian P., San Diego, CA, UNITED STATES
Havens, John R., San Diego, CA, UNITED STATES
PI US 2002123068 A1 20020905
AI US 2001-775840 A1 20010131 (9)
DT Utility
FS APPLICATION
LREP LYON & LYON LLP, 633 WEST FIFTH STREET, SUITE 4700, LOS ANGELES, CA, 90071
CLMN Number of Claims: 113
ECL Exemplary Claim: 1
DRWN 6 Drawing Page(s)
LN.CNT 2003

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The present invention provides non-radioactively labeled synthetic substrates for enzymatic reactions which exhibit markedly improved solubility having the general structure *F-R.sub.1-L.sub.1-R.sub.2-P.sub.Hc1-P.sub.S-P.sub.Hc2-(R.sub.3-L-R.sub.4-T).sub.y. These substrates may be designed to carry a charge to allow electrophoretic separation of substrates and reaction products. The invention also provides enzymatic activity assays for protein kinases, phosphatases and proteases utilizing the substrates of the invention, as well as methods of producing these substrates. In addition, the invention also provides libraries of the substrates, and methods of utilizing these libraries to select optimal synthetic peptide enzyme substrates for high-throughput screening assays.

L4 ANSWER 3 OF 17 USPATFULL
AN 2002:209306 USPATFULL
TI Methods of identifying nucleic acid sequences using polycations
IN Nikiforov, Theo T., San Jose, CA, United States
PA Caliper Technologies Corp., Mountain View, CA, United States (U.S. corporation)
PI US 6436646 B1 20020820
AI US 2000-727532 20001128 (9)

RLI Continuation of Ser. No. US 2000-569193, filed on 11 May 2000
Continuation-in-part of Ser. No. US 1999-316447, filed on 21 May 1999,
now patented, Pat. No. US 6287774, issued on 11 Sep 2001
PRAI US 1999-139562P 19990616 (60)
US 1999-156366P 19990928 (60)
DT Utility
FS GRANTED
EXNAM Primary Examiner: Siew, Jeffrey
LREP Murphy, Matthew B.
CLMN Number of Claims: 12
ECL Exemplary Claim: 1
DRWN 31 Drawing Figure(s); 22 Drawing Page(s)
LN.CNT 1902

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB Methods, systems, kits for carrying out a wide variety of different assays that comprise providing a first reagent mixture which comprises a first reagent having a fluorescent label. A second reagent is introduced into the first reagent mixture to produce a second reagent mixture, where the second reagent reacts with the first reagent to produce a fluorescently labeled product having a substantially different charge than the first reagent. A polyion is introduced into at least one of the first and second reagent mixtures, and the fluorescent polarization in the second reagent mixture relative to the first reagent mixture is determined, this fluorescent polarization being indicative of the rate or extent of the reaction.

L4 ANSWER 4 OF 17 CAPLUS COPYRIGHT 2002 ACS
AN 2001:618190 CAPLUS
DN 135:207447
TI Fluorescent assay for protein tyrosine phosphatases
IN Flint, Andrew J.; Cool, Deborah E.
PA Ceptyr, Inc., USA
SO PCT Int. Appl., 79 pp.
CODEN: PIXXD2
DT Patent
LA English
FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001061031	A2	20010823	WO 2001-US5180	20010213
WO 2001061031	A3	20020307		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
US 2002009762	A1	20020124	US 2001-788626	20010213
PRAI US 2000-181769P	P	20000214		

AB The invention relates in part to screening assays for identifying agents that alter the interaction between a protein tyrosine phosphatase (PTP) and its tyrosine phosphorylated polypeptide substrate, using fluorescence energy signals generated by detectably labeled substrates. Assays are provided in certain embodiments, including high throughput screening assays, wherein candidate agents are screened by fluorescence polarization for their ability to influence (i) binding of substrate trapping mutant PTPs to substrates, or (ii) dephosphorylation of tyrosine phosphorylated substrates by PTPs.

L4 ANSWER 5 OF 17 USPATFULL
AN 2001:184724 USPATFULL

TI Methods and compositions for conducting processes in microfluidic devices
 IN Wainright, Ann K., Cupertino, CA, United States
 Visser, Irene, San Ramon, CA, United States
 Singh, Sharat, San Jose, CA, United States
 PA Aclara BioSciences, Inc., Mountain View, CA, United States (U.S. corporation)
 PI US 6306273 B1 20011023
 AI US 1999-291169 19990413 (9)
 DT Utility
 FS GRANTED
 EXNAM Primary Examiner: Warden, Jill; Assistant Examiner: Starsiak, Jr., John S.
 LREP Perkins Coie LLP
 CLMN Number of Claims: 7
 ECL Exemplary Claim: 1
 DRWN 10 Drawing Figure(s); 10 Drawing Page(s)
 LN.CNT 1849
 AB A method is disclosed for controlling the direction and transport of a material on a microfluidic device formed from an acrylic polymer, by electrokinetic flow of a fluid containing the material. The method comprises providing an electrophoresis buffer containing a charged hydrophilic polymer, wherein charges on the polymer are randomly distributed. The method has applications for improved transport of proteins and transport of materials comprising differentially charged chemical species. A preferred embodiment of the present invention comprises use of the disclosed method for electrokinetic separations of a mixture of polypeptides having both positive and negative charges. Another preferred embodiment concerns use of the disclosed method for performing an assay involving mixing of two or more reagents, wherein a first reagent comprises an enzyme and a second reagent comprises species having an opposite charge to the enzyme.

L4 ANSWER 6 OF 17 ANABSTR COPYRIGHT 2002 RSC DUPLICATE 2
 AN 64(19):F125 ANABSTR
 TI An **assay** for phosphoinositide **phosphatases** utilizing **fluorescent substrates**.
 AU Taylor, G. S.; Dixon, J. E.* (jedixon@umich.edu, Dept. Biol. Chem., Univ. Michigan Med. School, Ann Arbor, MI 48109-0606, USA) .
 SO Anal. Biochem. (2001) 295(1), 122-126
 CODEN: ANBCA2 ISSN: 0003-2697
 DT Journal
 LA English
 AB Incubation mixtures contained recombinant phosphatases myotubularin (MTM1) or the PTEN described previously (Maehama and Dixon, J. Biol. Chem., 1998, 273, 13375) at pH 6 and 8, respectively, and the fluorescent substrate di-C6-NBD6 phosphoinositide or its 3,4,5-triphosphate (Echelon). The reactions were stopped by adding acetone, the mixtures were evaporated and the residue was suspended in acetic acid/propan-2-ol/methanol (2:5:5). Portions were analysed by TLC on K6 silica gel with a mobile phase of water/acetic acid/acetone/methanol/chloroform (2:2:2:5:5), with evaluation by UV irradiation in an imaging workstation. The semi-quantitative method complemented the more quantitative malachite green method and was recommended for enzyme specificity studies.

L4 ANSWER 7 OF 17 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.DUPLICATE 3
 AN 1998:313363 BIOSIS
 DN PREV199800313363
 TI Synthesis of **fluorescent substrates** for protein tyrosine **phosphatase assays**.
 AU Watanabe, Takumi; Imoto, Masaya; Taniguchi, Hiroki; Kinoshita, Kazuhiko, Jr.; Umezawa, Kazuo (1)
 CS (1) Inst. Microbial Chem., 3-14-23 Kamiosaki, Shinagawa-ku, Tokyo 141

Japan
 SO Bioorganic & Medicinal Chemistry Letters, (June 2, 1998) Vol. 8, No. 11, pp. 1301-1302.
 ISSN: 0960-894X.

DT Article
 LA English
 AB Two fluorescent substrates for protein tyrosine phosphatase (PTPase) reaction were prepared by conjugation of commercially available O-phosphotyrosine and dansyl chlorides. They were hydrolyzed by CD45 tyrosine phosphatase, and proved to be useful for PTPase assay.

L4 ANSWER 8 OF 17 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.DUPLICATE
 4

AN 1995:347224 BIOSIS
 DN PREV199598361524
 TI Use of a novel human immunodeficiency virus type 1 reporter virus expressing human placental alkaline phosphatase to detect an alternative viral receptor.

AU He, Jianglin; Landau, Nathaniel R. (1)
 CS (1) Aaron Diamond AIDS Res. Cent., 455 First Ave., New York, NY 10016 USA
 SO Journal of Virology, (1995) Vol. 69, No. 7, pp. 4587-4592.
 ISSN: 0022-538X.

DT Article
 LA English
 AB We report here on the construction and use of a novel human immunodeficiency virus (HIV) type 1 reporter vector, HIV-AP, that encodes human placental alkaline phosphatase. Upon staining with chromogenic alkaline phosphatase substrates 24 to 36 h postinfection, cells infected with HIV-AP develop an intense purple color and can then be counted under a dissecting microscope. Alternatively, HIV-AP infectivity can be quantitated and infected cells can be sorted by a fluorescence-activated cell sorter after staining with a **fluorescent alkaline phosphatase substrate**. The **assay** is rapid and accurate, has very low background in a variety of cell lines and primary cells, and is not restricted to use in human cells. Infectious HIV-AP can be pseudotyped by various HIV or murine leukemia virus envelope glycoproteins. Using this virus, we have addressed the long-standing question of CD4-independent infection of cells by HIV. Our results confirm the presence on a human osteosarcoma cell line of an alternative receptor for HIV infection that functions with an efficiency approximately 1/20 that of CD4.

L4 ANSWER 9 OF 17 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.DUPLICATE
 5

AN 1993:498702 BIOSIS
 DN PREV199396122709
 TI Synthesis and **fluorescence** properties of a **substrate** for a continuous fluorimetric **assay** of protein tyrosine **phosphatases**.

AU Garcia-Echeverria, Carlos (1); Rich, Daniel H.
 CS (1) Pharmaceutical Div., Ciba-Geigy Ltd., CH-4002 Basel Switzerland
 SO Bioorganic & Medicinal Chemistry Letters, (1993) Vol. 3, No. 8, pp. 1601-1604.
 ISSN: 0960-894X.

DT Article
 LA English
 AB A phosphotyrosine containing peptide, H-Thr-Glu-Pro-Glu-Tyr(PO-3H-2)-Gln-Pro-Gly-Glu-NH-2, has been synthesized to study the effect of phosphate substitution on the intrinsic fluorescence of the free tyrosine-peptide. The observed difference in fluorescence between the phosphorylated and unphosphorylated peptide at 300 nm upon excitation at 275 nm can be applied for continuous fluorimetric assays of protein-tyrosine phosphatases.

L4 ANSWER 10 OF 17 CAPLUS COPYRIGHT 2002 ACS

AN 1992:421221 CAPLUS

DN 117:21221

TI DNA hybridization assay using ATTOPHOS, a fluorescent substrate for alkaline phosphatase

AU Cano, Raul J.; Torres, Maria J.; Klem, Robert E.; Palomares, Jose C.

CS Biol. Sci. Dep., California Polytech. Univ., Obispo, CA, 93407, USA

SO BioTechniques (1992), 12(2), 264-6, 268-9

CODEN: BTNQDO; ISSN: 0736-6205

DT Journal

LA English

AB A fluorometric procedure for the detection of DNA-DNA hybrids is described. The procedure involved the detection of probe-bound alk. phosphatase with the fluorescent substrate ATTOPHOS. This substrate is converted to ATTOFLUOR by alk. phosphatase and fluoresces strongly at 550 nm when excited with a wavelength of 440 nm. DNA hybridization assays were performed both with dilns. of purified target plasmid DNA (pSE9 or PBR322) and whole bacterial cells. Streptavidin-alk. phosphatase conjugates were added to react with bound probe. Fluorometric assays, as well as colorimetric assays, using 5-bromo-4-chloro-3-indolylphosphate + nitroblue tetrazolium for alk. phosphatase activity were performed. The fluorescence of the substrate was measured at time intervals, and the slope of the regression line calcd. A slope four times greater than that of background was considered pos. One hundred femtograms or 2.2 .times. 10⁴ mols. of homologous DNA were detected with the fluorescent assay as compared with 10000 fg or 2.2 .times. 10⁶ mols. of homologous DNA with the colorimetric assay. Similar results were obtained with whole cells. Approx. 1 .times. 10³ homologous cells were detected fluorometrically and 1 .times. 10⁵ cells were detected colorimetrically. Based on these results, the DNA hybridization assay described here using ATTOPHOS as the substrate for alk. phosphatase is a very sensitive assay for the detection of DNA-DNA hybrids.

L4 ANSWER 11 OF 17 CAPLUS COPYRIGHT 2002 ACS

AN 1991:651633 CAPLUS

DN 115:251633

TI Nucleic acid determination by phosphatase-labeled DNA probe using fluorescent coumarin compounds as the enzyme substrate

IN Fujita, Satoshi; Hori, Hiroshi; Shirahama, Haruhisa; Saito, Hiroshi

PA Aisin Seiki Co., Ltd., Japan

SO Jpn. Kokai Tokkyo Koho, 10 pp.

CODEN: JKXXAF

DT Patent

LA Japanese

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 03072898	A2	19910328	JP 1989-207203	19890810
OS	MARPAT 115:251633				

AB The title hybridization assay uses fluorescent coumarin compds. e.g. I [R1 = phosphate ester; X = hydroxy, Y = alkoxy] as the enzyme substrate. The method using I is sensitive and rapid and I are safe to use (i.e. compared to radiolabels). Thus, biotinylated DNA probe was hybridized with test DNA on a nitrocellulose membrane filter, treated with alk. phosphatase-avidin conjugate (com. kit), and then treated with a soln. contg. trimethoxybenzylcoumarin phosphate (prepn. given), NaCl, MgCl₂, and Tris buffer at room temp. for 5 min-2 h. The reaction mixt. was fluorometrically measured for the DNA detn. The detection limit was 0.02 pg.

L4 ANSWER 12 OF 17 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.DUPLICATE
6

AN 1988:289985 BIOSIS

DN BA86:18252

TI QUANTITATIVE EVALUATION OF AXONAL REGENERATION BY IMMUNOCHEMICAL ASSAY FOR
NEUROFILAMENT PROTEIN.
AU GUTH L; ALBERS R W; BARRETT C P; DONATI E J
CS DEP. ANATOMY, UNIV. MARYLAND SCH. MED., BALTIMORE, MARYLAND 21201.
SO EXP NEUROL, (1988) 100 (1), 83-97.
CODEN: EXNEAC. ISSN: 0014-4886.

FS BA; OLD

LA English

AB In experiments on nerve regeneration requiring assessment of the rate and extent of axonal outgrowth, the availability of a simple and accurate method of quantification would be extremely useful. We approached this issue by modifying the conventional ELISA procedure so as to provide a sensitive, specific, and quantitative biochemical assay of the phosphorylated neurofilament content of homogenates or sections of nerve tissue. The technique involves four sequential steps: (i) adhesion of fixed or fresh homogenates or tissue sections to wells of microtiter plates, (ii) binding of a monoclonal antibody against phosphorylated neurofilament to the tissue, (iii) secondary binding to the anti-phosphorylated neurofilament of a phosphatase-labeled second antibody (antimouse IgG), and (iv) enzymatic **assay** of alkaline **phosphatase** activity using a **fluorescent substrate** (4-methylumbelliferyl phosphate). The technique is sufficiently sensitive to measure the phosphorylated neurofilament content of a 1:100,000 (w/v) homogenate of brain, spinal cord, or peripheral nerve and of single 10-.mu.m paraffin sections of Bouin-fixed rat spinal cord. To validate the applicability of the procedure to the study of nerve regeneration, the sciatic nerve of adult rats was either crushed (to permit regeneration) or transected and ligated (to preclude regeneration). The animals were autopsied 1 to 16 weeks, later, when four segments 3-mm in length taken from regions proximal and distal to the lesion site were assayed for phosphorylated filament content. The temporal course of its disappearance during degeneration and its reappearance during regeneration coincided with the known histologic changes in crushed and transected nerves. These findings demonstrate the validity of using the immunochemical assay for PNF in studies of nerve regeneration in the peripheral nervous system and the potential applicability of this procedure to studies on regeneration in the central nervous system.

L4 ANSWER 13 OF 17 CAPLUS COPYRIGHT 2002 ACS

AN 1988:52016 CAPLUS

DN 108:52016

TI Hydrolyzable fluorescent substrates for phosphatases and analytical use thereof

IN Sundberg, Michael William; McClune, Gregory Joseph; Babb, Bruce Edward

PA Eastman Kodak Co., USA

SO Eur. Pat. Appl., 19 pp.

CODEN: EPXXDW

DT Patent

LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	EP 232129	A2	19870812	EP 1987-300775	19870129
	EP 232129	A3	19890830		
	R: CH, DE, FR, GB, LI				
	US 4803157	A	19890207	US 1986-824752	19860131
	CA 1273023	A1	19900821	CA 1986-507346	19860423
	JP 62190191	A2	19870820	JP 1987-18750	19870130
PRAI	US 1986-824752		19860131		

AB [BLOCK]XRfL [BLOCK] = phosphono or salts, thioxophosphono or salts; X = O, S or NR (R = H or (un)substituted alkyl; when [BLOCK] = thiophosphono, X = O; Rf= (un)substituted phenolone or benzphenelenone moiety; L = H or a specific binding ligand; when released as XRfL, XRfL exhibits max. fluorescent emission at least 580 nm and max. absorption >530 nm] are

hydrolyzable **fluorescent substrates** for **phosphatases** and for anal. use. A sample contg. alk. phosphatase was treated with a reagent contg. phenalenone 6-phosphate, MgOAc, and pH 8.5 Tris buffer, and the reaction mixt. was measured at 580 nm with excitation at 535 nm for enzyme assay. Prepn. of phenalenone 6-phosphate is described.

- L4 ANSWER 14 OF 17 CAPLUS COPYRIGHT 2002 ACS DUPLICATE 7
AN 1967:91824 CAPLUS
DN 66:91824
TI **Fluorescein** and naphthol **substrates** for **phosphatase assays**
AU Westley, John W.
CS Stanford Univ., Palo Alto, CA, USA
SO NASA (Nat. Aeronaut. Space Admin.) Access. (1964), NASA-CR-59380, 41 pp.
Avail.: CFSTI, \$3 hc
From: Sci. Tech. Aerospace Rept. 1965, 3(18), N65-29435
CODEN: NAACAF
DT Report
LA English
AB The chemistry of fluorescein, fluorescein derivs., and naphthol derivs. was investigated. Because of high quantum yields of fluorescence, fluorescein and related compds. provide a suitable starting point for the study of the problem of soil fluorescence which was observed in previous detns. of phosphatase activity in soils using fluorimetric assays. The high quantum yield of fluorescein means that 10⁻¹⁰ to 10⁻¹¹M solns. can be detected using com. available fluorimeters. Bacillus subtilis was used to det. the bacterial hydrolysis of 6,6'-dihydroxynaphthofluoran diphosphate. Also, a comparison of the diphosphate and p-nitrophenyl phosphate as substrates for phosphatase is included.
- L4 ANSWER 15 OF 17 CAPLUS COPYRIGHT 2002 ACS
AN 1965:411674 CAPLUS
DN 63:11674
OREF 63:2101d-e
TI Multivator, a biochemical laboratory for Martian experiments
AU Levinthal, E.; Hundley, L.; Lederberg, J.
CS Stanford Univ., Stanford, CA
SO Life Sci. Space Res. (1964), Volume Date 1963, (2), 112-23
DT Journal
LA English
AB The Multivator is a detection system for signs of life on Mars to be used in the constraints of Mariner-type missions. The basic instrument as well as several recent modifications are discussed and its operation after landing on Mars outlined in detail. The device will permit many different biochem. expts. to be carried out, particularly those which can use a photomultiplier as an output transducer and include fluorimetry, nephelometry, and scintillometry. The assays under study fall into two general categories: the first to detect the presence of hydrolytic enzymes by fluorimetry, and the second uses the techniques of membrane sepn. to measure production of mols. with membrane transmission varying from those of the **substrate**. Photometric **assays** of **fluorescence** of **phosphatase** have been given particular attention because of its distribution in terrestrial organisms and capability of detection.
- L4 ANSWER 16 OF 17 CHEMINFORMRX COPYRIGHT 2002 FIZ CHEMIE
AN 199840216 CHEMINFORMRX
TI Synthesis of **Fluorescent Substrates** for Protein Tyrosine **Phosphatase Assays**.
AU WATANABE, T.; IMOTO, M.; TANIGUCHI, H.; KINOSHITA, K. JUN.; UMEZAWA, K.
CS Dep. Appl. Chem., Fac. Sci. Technol., Keio Univ., Kohoku, Yokohama 223, Japan
SO Bioorg. Med. Chem. Lett., 8(11), 1301-1302 (1998)

CODEN: BMCLE8 ISSN: 0960-894X

LA English

AB A new assay system for PTPase with fluorescent substrates (III) is developed.

L4 ANSWER 17 OF 17 BABS COPYRIGHT 2002 BEILSTEIN CDS MDLI

AN 6102223 BABS

TI Synthesis of **Fluorescent Substrates** for Protein
Tyrosine **Phosphatase Assays**

AU Watanabe, Takumi; Imoto, Masaya; Taniguchi, Hiroki; Kinoshita, Kazuhiko;
Umezawa, Kazuo

SO Bioorg.Med.Chem.Lett. (1998), 8(11), 1301-1302

CODEN: BMCLE8

DT Journal

LA English

SL English

AB Two fluorescent substrates for protein tyrosine phosphatase (PTPase) reaction were prepared by conjugation of commercially available O-phosphotyrosine and dansyl chlorides. They were hydrolyzed by CD45 tyrosine phosphatase, and proved to be useful for PTPase assay.

=>

<-----User Break----->

=>

<-----User Break----->

=>

<-----User Break----->

=> s 12 (3a) peptide

20 FILES SEARCHED...

31 FILES SEARCHED...

47 FILES SEARCHED...

64 FILES SEARCHED...

83 FILES SEARCHED...

L5 819 L2 (3A) PEPTIDE

=> s 15 (5a) l1

28 FILES SEARCHED...

52 FILES SEARCHED...

72 FILES SEARCHED...

L6 1 L5 (5A) L1

=> d 16 bib ab

L6 ANSWER 1 OF 1 USPATFULL

AN 2002:227915 USPATFULL

TI Water-soluble, fluorescent, & electrophoretically mobile peptidic substrates for enzymatic reactions and methods for their use in high-throughput screening assays

IN Dwyer, Brian P., San Diego, CA, UNITED STATES

Havens, John R., San Diego, CA, UNITED STATES

PI US 2002123068 A1 20020905

AI US 2001-775840 A1 20010131 (9)

DT Utility

FS APPLICATION

LREP LYON & LYON LLP, 633 WEST FIFTH STREET, SUITE 4700, LOS ANGELES, CA, 90071

CLMN Number of Claims: 113

ECL Exemplary Claim: 1

DRWN 6 Drawing Page(s)

LN.CNT 2003

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The present invention provides non-radioactively labeled synthetic substrates for enzymatic reactions which exhibit markedly improved solubility having the general structure *F-R.sub.1-L.sub.1-R.sub.2-P.sub.Hc1-P.sub.S-P.sub.Hc2-(R.sub.3-L-R.sub.4-T).sub.y. These substrates may be designed to carry a charge to allow electrophoretic separation of substrates and reaction products. The invention also provides enzymatic activity assays for protein kinases, phosphatases and proteases utilizing the substrates of the invention, as well as methods of producing these substrates. In addition, the invention also provides libraries of the substrates, and methods of utilizing these libraries to select optimal synthetic peptide enzyme substrates for high-throughput screening assays.

=>

<-----User Break----->

=>